

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**


Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

**Web**Results 1 - 10 of about 115,000 for **comment source code specification editor**. (0.66 seconds)Can IDEs Do More to Improve **Code** Quality? Part II

... Take, for example, the following **code** snippet: ... A browser can be started from inside the **source editor** for displaying this ... Javadoc **comment** Folding and Unfolding. ...

[www.developer.com/java/ent/article.php/10933\\_3346291\\_4](http://www.developer.com/java/ent/article.php/10933_3346291_4) - 47k - [Cached](#) - [Similar pages](#)

Can IDEs Do More to Improve **Code** Quality?

... any kind of Java **comment** in the **source code** and to ... are first going to look at Javadoc **comment** creation with ... **specification**, one may start writing **code** for the ...

[www.developer.com/design/article.php/3342481](http://www.developer.com/design/article.php/3342481) - 49k - [Cached](#) - [Similar pages](#)

[ [More results from www.developer.com](#) ]

junit

... off some of the Method Accessors, Optional **Code** generation, Optional **Comments** 4.

Click ... Packages/sampleproject node and open it in the **source Editor**. ...

[junit.netbeans.org/qa/testspecs/promo-d/testspec.html](http://junit.netbeans.org/qa/testspecs/promo-d/testspec.html) - 29k - [Cached](#) - [Similar pages](#)

Java **Source Code** Beautifier

... This tides Java **source code** to the Sun **specification**. ... I suggest introducing a variable declaration with a **/\* var \*/ comment**. ...

[mindprod.com/projects/javabeautifier.html](http://mindprod.com/projects/javabeautifier.html) - 8k - [Cached](#) - [Similar pages](#)

Speeding up **code** documentation

... according to \* <a href="..../spec/**specification**.html#cust ... However in this case, the **source code comments** are highly ... in those destroys the **comment's** consistency. ...

[builder.com.com/5100-6370-5097448.html](http://builder.com.com/5100-6370-5097448.html) - 36k - [Cached](#) - [Similar pages](#)

Jens File **Editor** Description

... change to working directory" Despite the **specification** of a ... is found in a file inside a **comment**, the text ... to look at the Example template and its **source code**. ...

[home.t-online.de/home/Jens.Altmann/jfe\\_eng.htm](http://home.t-online.de/home/Jens.Altmann/jfe_eng.htm) - 94k - [Cached](#) - [Similar pages](#)

Network Working Group T. Berners-Lee Request for **Comments**: 1866 ...

... Here's a good place to put a **comment**. ... POST" -- as per HTTP **specification**, in progress ... STRONG> Strong emphasis --> <! **CODE**> **Source code** phrase --> <! SAMP ...

[www.rfc-editor.org/rfc/rfc1866.txt](http://www.rfc-editor.org/rfc/rfc1866.txt) - 101k - Sep 14, 2004 - [Cached](#) - [Similar pages](#)

Open Directory - Computers: Programming: Languages: D

... [Open **Source**]; 99 Bottles of Beer on the Wall - D **source code** of famous beer drinking song. The **Code** Moon: D - **Comments**, example of functional closures ...

[dmoz.org/Computers/Programming/Languages/D/](http://dmoz.org/Computers/Programming/Languages/D/) - 17k - [Cached](#) - [Similar pages](#)

JavaSourceViewerConfiguration (Eclipse JDT API **Specification**)

... getCodeScanner() Returns the Java **source code** scanner for ... ITextEditor, getEditor()

Returns the **editor** in which ... Returns the Java multiline **comment** scanner for ...

[download2.eclipse.org/.../reference/api/org/eclipse/jdt/ui/text/JavaSourceViewerConfiguration.html](http://download2.eclipse.org/.../reference/api/org/eclipse/jdt/ui/text/JavaSourceViewerConfiguration.html) - 48k -

[Cached](#) - [Similar pages](#)

How I Would Rather Program


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)


[Advanced Search](#)  
[Preferences](#)

## Web

 Results 1 - 10 of about 375,000 for **specification code comment**. (0.54 seconds)

### How to Write Doc **Comments** for the Javadoc Tool

... The following are guiding principles we try to follow: The Java Platform API

**Specification** is defined by the documentation **comments** in the source **code** and any ...

[java.sun.com/j2se/javadoc/writingdoccomments/](http://java.sun.com/j2se/javadoc/writingdoccomments/) - 85k - [Cached](#) - [Similar pages](#)

### The Java Language **Specification** Documentation **Comments**

... **Specification** First Edition. CHAPTER 18. Documentation **Comments**. Java programs can include documentation in their source **code**, in special documentation **comments** ...

[java.sun.com/docs/books/jls/first\\_edition/html/18.doc.html](http://java.sun.com/docs/books/jls/first_edition/html/18.doc.html) - 53k - [Cached](#) - [Similar pages](#)

[ [More results from java.sun.com](#) ]

### eXtract Source **Code** **Comment**

... type based on the file extension (as documented below), and allows overriding that behavior by **specification** of a ... eXtract Source **Code** **Comment** ## Usage: xssc ...

[members.tripod.com/vgoenka/unixscripts/xssc.html](http://members.tripod.com/vgoenka/unixscripts/xssc.html) - 7k - [Cached](#) - [Similar pages](#)

### We should carefully examine **specifications** and **code** on freedesktop ...

... what the interface is, and some sample **code**). ... a clearer distinction between the **Specifications** (with reference ... login or register to post **comments**. psn's avatar. ...

[www.kdedevelopers.org/node/view/327](http://www.kdedevelopers.org/node/view/327) - 27k - [Cached](#) - [Similar pages](#)

### Miscellaneous notes: about escape sequences (character entities) ...

... And although the HTML 3.2 Reference **Specification** is not explicit about the ... should be inserted in rare cases only, eg to **comment** the HTML **code** itself to ...

[www.cs.tut.fi/~jkorpela/HTML3.2/3.10.html](http://www.cs.tut.fi/~jkorpela/HTML3.2/3.10.html) - 21k - [Cached](#) - [Similar pages](#)

### TechRepublic

... in the **specification**. It makes documentation faster and, more importantly, it does not duplicate the original information and thus keeps **code** **comments** in sync ...

[builder.com.com/5102-6370-5097448.html](http://builder.com.com/5102-6370-5097448.html) - 8k - [Cached](#) - [Similar pages](#)

### The **Comment** API | 2003-01-17 | The Well-Formed Web

... Note that any appropriate status **code** can be returned. ... pointing to the URL of the newly created **comment**. ... are guided by the RSS 2.0 **specification**, which states ...

[wellformedweb.org/story/9](http://wellformedweb.org/story/9) - 15k - [Cached](#) - [Similar pages](#)

### Can IDEs Do More to Improve **Code** **Quality**?

... With its own language, it would be able to approximate the **specification** of a method. ... In most source **code** repositories, **code** **comments** are rarely seen. ...

[www.developer.com/java/ent/article.php/3342481](http://www.developer.com/java/ent/article.php/3342481) - 46k - [Cached](#) - [Similar pages](#)

### CS-489 Product **Specification**

... [Implementation note: the **specification** does not ... techniques (such as embedding special **comments** or making ... Rational Rose) to identify sections of source **code**.] ...

[people.msoe.edu/~sebern/courses/cs489/projspec.htm](http://people.msoe.edu/~sebern/courses/cs489/projspec.htm) - 7k - [Cached](#) - [Similar pages](#)

### Uniform **Code** Council, Inc. - Corporate Home to the EAN.UCC System ...

... for this **specification**, the UCC intends to withdraw ANSI/UCC -6- Application Standard for Shipping Container **Codes**. If you wish to **comment** on this action ...

[www.uc-council.org/ansi\\_documents.html](http://www.uc-council.org/ansi_documents.html) - 24k - [Cached](#) - [Similar pages](#)

L Number	Hits	Search Text	DB	Time stamp
-	3	(specification with comment) and 717/110.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 09:53
-	191	generat\$3 with (specification or document\$5) with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:02
-	47	generat\$3 with specification with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:01
-	36	(generat\$3 with (specification or document\$5) with comment) not "3"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:01
-	144	(generat\$3 with (specification or document\$5) with comment) not (generat\$3 with specification with comment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:02
-	16	generat\$3 with document\$5 with comment with code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:22
-	668	specification with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:31
-	14	((717/106,136,137,142) or (707/102)).CCLS.) and (specification with comment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:47
-	8	("4965765"   "5317511"   "5339433"   "5398312"   "5491796"   "5727147"   "5745350"   "5764989").PN.	USPAT	2004/02/27 08:39
-	0	((("5,432,942A") or ("5,485,601a") or ("5,729,747a") or ("6,405,361B1"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:47
-	8	((("5,432,942") or ("5,485,601") or ("5,729,747") or ("6,405,361"))).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:47
-	2	("4,730,315").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:56

-	94	("5432942" "5956732" "6175071" "5946484" "5987239" "6078403" "5717929" "5907710" "6208994" "4780825" "4860203" "5029068" "6081914" "6085185" "5842204" "6006031" "5768564" "5818574" "6031993" "6226443" "6226443" "5473774" "5790861" "5854935" "5923880" "6065035" "6574792" "6029181" "6272131" "6377579" "5805888" "5805862" "6021271" "4819233" "5699310" "5638192" "5725243" "6008913" "6343328" "4627818" "4992939" "5309171" "5813019" "5401472" "6092198" "6199166" "5978585" "5408667" "5526259" "5767588") .pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 08:58
---	----	---	---	------------------

-	49	("5432942" "5956732" "6175071" "5946484" "5987239" "6078403" "5717929" "5907710" "6208994" "4780825" "4860203" "5029068" "6081914" "6085185" "5842204" "6006031" "5768564" "5818574" "6031993" "6226443" "6226443" "5473774" "5790861" "5854935" "5923880" "6065035" "6574792" "6029181" "6272131" "6377579" "5805888" "5805862" "6021271" "4819233" "5699310" "5638192" "5725243" "6008913" "6343328" "4627818" "4992939" "5309171" "5813019" "5401472" "6092198" "6199166" "5978585" "5408667" "5526259" "5767588") .pn.	USPAT; US-PGPUB	2004/02/27 08:59
---	----	---	--------------------	------------------

-	10	(specification with comment) and ("5432942" "5956732" "6175071" "5946484" "5987239" "6078403" "5717929" "5907710" "6208994" "4780825" "4860203" "5029068" "6081914" "6085185" "5842204" "6006031" "5768564" "5818574" "6031993" "6226443" "6226443" "5473774" "5790861" "5854935" "5923880" "6065035" "6574792" "6029181" "6272131" "6377579" "5805888" "5805862" "6021271" "4819233" "5699310" "5638192" "5725243" "6008913" "6343328" "4627818" "4992939" "5309171" "5813019" "5401472" "6092198" "6199166" "5978585" "5408667" "5526259" "5767588") .pn.)	USPAT; US-PGPUB	2004/02/27 08:59
-	25	4860203.URPN.	USPAT	2004/02/27 09:08
-	0	4860203.URPN. and (specification with comment)	USPAT	2004/02/27 09:08
-	20	(specification or comment) and 4860203.URPN.	USPAT	2004/02/27 09:10
-	5	(specification and comment) and 4860203.URPN.	USPAT	2004/02/27 11:12
-	248	specification near3 edit\$2	USPAT	2004/02/27 11:12
-	2553	((717/106,136,137,142) or (707/102)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:12
-	112	717/110.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:12
-	17	((((717/106,136,137,142) or (707/102)).CCLS.) or 717/110.ccls.) and (specification near3 edit\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 11:13

-	44	717/123	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 14:15
-	37	(717/123).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:05
-	9	specification and comment and ((717/123).CCLS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:11
-	80	717/111	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:10
-	16543	specification and comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:11
-	19	717/111 and (specification and comment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/27 15:11
-	1172	source with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 09:53
-	5	717/111.ccls. and (source with comment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:06
-	5	717.clas. and "specification editor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 10:07
-	44	"specification editor"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 12:10
-	16	717.clas. and (insert near3 comment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 12:21
-	84	(insert near3 comment) and specification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 12:22
-	7	insert near3 comment same specification	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 12:22
-	173	insert near3 comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:01



-	6846	unique near2 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:04
-	107	(unique near2 key) and 717.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:02
-	3	unique near2 key with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 13:05
-	7	unique near2 (key or tag or label) with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:36
-	783	number\$2 near2 comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:37
-	6002	717.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:37
-	49	(number\$2 near2 comment) and 717.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:38
-	2	("4,488,258").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 14:58
-	178	unique near2 keyword	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:15
-	15	717.clas. and (unique near2 keyword)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:03
-	458	specification with keyword	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:03
-	34	717.clas. and (specification with keyword)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:07
-	11797	database with key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:07
-	186	(database with key) and 717.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:07

-	3800	database near2 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:07
-	62	717.clas. and (database near2 key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:07
-	4780	unique near2 (keyword or Tag or label)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:15
-	55	717.clas. and (unique near2 (keyword or Tag or label))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:42
-	0	(comment with generate with specification) same (unique near2 (keyword or tag or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:43
-	2	(comment with specification) same (unique near2 (keyword or tag or key))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:44
-	43	(comment with specification) same (keyword or tag or key)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/01 15:44
-	13	(US-6009267-\$ or US-4730315-\$ or US-6389481-\$ or US-6237136-\$ or US-5432942-\$ or US-5408667-\$ or US-4860203-\$ or US-6507855-\$ or US-5524192-\$ or US-5513305-\$ or US-5452206-\$).did. or (JP-05324289-\$ or JP-04055938-\$).did.	USPAT; JPO	2004/03/01 15:51
-	3	unique and ((US-6009267-\$ or US-4730315-\$ or US-6389481-\$ or US-6237136-\$ or US-5432942-\$ or US-5408667-\$ or US-4860203-\$ or US-6507855-\$ or US-5524192-\$ or US-5513305-\$ or US-5452206-\$).did. or (JP-05324289-\$ or JP-04055938-\$).did.)	USPAT; JPO	2004/03/01 15:57
-	5	"comment editor"	USPAT; JPO	2004/03/01 15:57
-	45055	unique near2 (identifi\$6 or ID)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 06:44
-	6021	717.clas.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 06:44
-	796	717.clas. and (unique near2 (identifi\$6 or ID))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 06:44
-	63	unique near2 (identifi\$6 or ID) with comment	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/02 06:44

-	1	717.clas. and (unique near2 (identifi\$6 or ID) with comment)	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/03/02 06:44
-	42	(717/123).CCLS.	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/08/23 10:54
-	2	("4819233").PN.	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/15 14:11
-	7663	unique near2 key	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:28
-	209	717/104.ccls.	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 12:10
-	8	(unique near2 key) and 717/104.ccls.	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:24
-	7841	unique near2 (key or keyword)	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:29
-	178	(unique near2 (key or keyword)) not (unique near2 key)	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:29
-	0	717/104.ccls. and ((unique near2 (key or keyword)) not (unique near2 key))	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:29
-	26	unique near2 (key or keyword) with specification	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:32
-	2	comment near2 (key or keyword) with specification same "source code"	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 10:32
-	14	comment with specification same "source code"	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 12:02
-	0	database with key same "source code" with specification	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 12:02
-	55	database with key same "source code"	USPAT; US-PGPUB; EPO; JPO; ERWENT; IBM_TDB	2004/09/16 12:03

-	43	717/123.ccls.	SPAT; S-PGPUB; PO; JPO; RWENT; M_TDB	2004/09/16 12:17
-	143	comment near (identifier or ID)	SPAT; S-PGPUB; O; JPO; RWENT; M_TDB	2004/09/16 12:30
-	10	717.clas. and (comment near (identifier or ID))	SPAT; S-PGPUB; O; JPO; RWENT; M_TDB	2004/09/16 12:20
-	2	comment near (identifier or ID) with unique	SPAT; S-PGPUB; O; JPO; RWENT; M_TDB	2004/09/16 12:30
-	6	(US-6266683-\$ or US-6243859-\$ or US-5805888-\$ or US-5748975-\$ or US-5761408-\$ or US-5768592-\$).did.	SPAT	2004/09/16 14:31